

27B2AM

() LCD MONITOR

Sleek and super-thin design, flexible inputs, large 27" VA panel with popping colours and eye-saving features

75_{Hz}















Frameless

Besides looking modern and attractive, frameless designs enable seamless multi-monitor setups. Your cursor/windows will not be lost anymore in the dark abyss of bezels, when many displays are placed side by side



Wide viewing angle

Wide Viewing Angle features display color accurately at viewing angles of up to 178°. This way, it does not matter where you choose to view it from, colors will be displayed perfectly.



Full HD

Want to watch a Blu-ray movie in full quality, enjoy games in high resolution or read crisp text in office applications? Thanks to its Full HD resolution of 1920×1080 pixels, this monitor lets you do just that. Whatever you are viewing, with Full HD it will be displayed in rich detail without requiring a high-end graphics card or consuming a lot of your system's resources.



Lowblue Light

AOC Lowblue Light protects you from harmful blue light which, during long sessions, has been shown to cause eye strain, headaches, and sleeping disorders. Our Lowbue Light feature reduces the harmful wavelengths emitted without sacrificing color composition, setting the experience free from the worry of eye damage.

| General | | |
|----------------|---------------------------|--|
| Model name | 27B2AM | |
| EAN | 4038986189699 | |
| Product Line | Basic-line | |
| Series | B2 | |
| Channel | B2C | |
| Classification | Mainstream | |
| Section | Consumer | |
| Launch date | 2020-12-15T23:00:00+00:00 | |
| Continent | Europe | |

| Screen | |
|--------------------------|--|
| Resolution | 1920x1080 |
| Refresh rate | 75Hz |
| Flat / Curved | Flat |
| Backlight | WLED |
| Panel Type | VA |
| Aspect ratio | 16:9 |
| Display Colours | 16.7 Million |
| Panel Colour in Bits | 8 |
| Active Screen Area (HxW) | 527,04x296,46 mm mm |
| Pixels per Inch | 81 |
| Scanning Frequency | 30 -83kHz (H) / 50 -76 Hz (V) |
| Contrast (static) | 4000:1 |
| Contrast (dynamic) | 20M:1 |
| Brightness (typical) | 250 cd/m ² |
| Viewing angle (CR10) | 178/178 º |
| Hard Glass | ЗН |
| OSD languages | EN, FR, ES, PT, DE, IT, NL, SE, FI, PL, CZ, RU, KR, CN (T), CN (S), JP |

| Exterior | |
|-----------------|------------|
| Monitor colour | Black |
| Bezel Type | Borderless |
| Removable Stand | • |

| Ergonomics | |
|----------------|---------|
| Vesa Wallmount | 100x100 |
| Tilt | -5/20 ° |

| Connectivity and Multimedia | |
|-----------------------------|-------------------|
| Signal Input | HDMI 1.4 x 1, VGA |

| Multimedia | |
|-------------------|-----------------------|
| Audio Input | Line in |
| Built-in Speakers | 2 W x 2 |
| Audio output | Headphone out (3.5mm) |

| Features | |
|-----------------------|----------------|
| Flicker-free | • |
| Blue Light Technology | Low blue light |
| Kensington Lock | • |

| Sustainability | |
|-------------------------------|------|
| HF | • |
| Mercury Free | • |
| Recyclable packaging material | 100% |

| Power / Environmental | | |
|---------------------------|--------------------|--|
| Powersupply | External | |
| Powersource | 100 - 240V 50/60Hz | |
| Power Consumption Standby | 0.5 watt | |
| Power Consumption Off | 0.5 watt | |
| EnergyClass | E | |

| Approbations / Regulations | |
|----------------------------|---|
| TUV-GS | 1 |
| CE | 1 |
| EAC | 1 |
| ISO 9241-307 class I | 1 |
| Rohs compliant | • |
| Reach compliant | • |

| Warranty | |
|-----------------|--------------|
| Warranty Period | 3 Years |
| MTBF | 50.000 hours |

| Dimensions / Weights | | |
|---|----------------------------------|--|
| Product dimensions incl base (WxHxD) mm | 456.39(H) *612.14(W) * 182.95(D) | |
| Product dimensions excl base (WxHxD) mm | 612.14 (W) x361.39(H)x37.6(D)mm | |
| Packaging Dimensions (WxHxD) mm | 492x614x131 mm | |
| Product Dimensions (incl base) (WxHxD) mm | 419.8x540.1x186.8 mm | |

| What's in the Box? | |
|--------------------|-------|
| HDMI cable | 1,5 m |
| Power Cable C13 | 1,5 m |