Inspiron 3493

Setup and Specifications



Notes, cautions, and warnings
NOTE: A NOTE indicates important information that helps you make better use of your product.
CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.
WARNING: A WARNING indicates a potential for property damage, personal injury, or death.
© 2019 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

2019 - 07

Contents

2 Views of Inspiron 3493	
Right	6
Left	6
Base	7
Display	8
Bottom	8
3 Specifications of Inspiron 3493	10
Dimensions and weight	10
Processors	
Chipset	
Operating system	11
Memory	11
Ports and connectors	11
Communications	12
Audio	
Storage	13
Intel Optane memory (optional)	13
Media-card reader	14
Keyboard	15
Camera	15
Touchpad	15
Touchpad gestures	
Power adapter	16
Battery	16
Display	17
Video	18
Fingerprint reader (optional)	18
Computer environment	18
4 Keyboard shortcuts	20
5 Getting help and contacting Dell	22

Set up your Inspiron 3493

- i NOTE: The images in this document may differ from your computer depending on the configuration you ordered.
- 1. Connect the power adapter and press the power button.



- NOTE: To conserve battery power, the battery might enter power saving mode. Connect the power adapter and press the power button to turn on the computer.
- 2. Finish operating system setup.

For Ubuntu:

Follow the on-screen instructions to complete the setup. For more information about installing and configuring Ubuntu, see the knowledge base articles SLN151664 and SLN151748 at www.dell.com/support.

For Windows:

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

- · Connect to a network for Windows updates.
 - NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- · If connected to the internet, sign-in with or create a Microsoft account. If not connected to the internet, create an offline account.
- · On the **Support and Protection** screen, enter your contact details.
- 3. Locate and use Dell apps from the Windows Start menu—Recommended

Table 1. Locate Dell apps

K	es	0	u	r	C	9:	S

Description



My Dell

Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.

SupportAssist



Pro-actively checks the health of your computer's hardware and software. The SupportAssist OS Recovery tool troubleshoots issues with the operating system. For more information, see the SupportAssist documentation at www.dell.com/support.

i NOTE: In SupportAssist, click the warranty expiry date to renew or upgrade your warranty.

Resources

Description



Dell Update

Updates your computer with critical fixes and latest device drivers as they become available. For more information about using Dell Update, see the knowledge base article SLN305843 at www.dell.com/support.



Dell Digital Delivery

Download software applications, which are purchased but not pre-installed on your computer. For more information about using Dell Digital Delivery, see the knowledge base article 153764 at www.dell.com/support.

Views of Inspiron 3493

Right



1. SD-card slot

Reads from and writes to the SD card.


2. USB 2.0 port

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 480 Mbps.

3. Security-cable slot (wedge-shaped)

Connect a security cable to prevent unauthorized movement of your computer.

Left



1. Power-adapter port

Connect a power adapter to provide power to your computer.

2. Power and battery-status light/hard-drive activity light

Indicates the battery-charge status or the hard-drive activity.

NOTE: Press Fn+H to toggle between the power and battery-status light, and hard-drive activity light.

Hard-drive activity light

Turns on when the computer reads from or writes to the hard drive.

Power and battery-status light

Indicates the power and battery-charge status.

Solid white — Power adapter is connected and the battery has more than 5% charge.

Amber — Computer is running on battery and the battery has less than 5% charge.

Off

- · Power adapter is connected and the battery is fully charged.
- · Computer is running on battery and the battery has more than 5% charge.
- · Computer is in sleep state, hibernation, or turned off.

3. HDMI port

Connect to a TV or another HDMI-in enabled device. Provides video and audio output.

4. Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or Internet access.


5. USB 3.1 Gen 1 ports (2)

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

6. Headset port

Connect headphones or a headset (headphone and microphone combo).

Base



1. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two finger tap to right-click.

2. Left-click area

Press to left-click.

3. Right-click area

Press to right-click.

4. Power button with optional fingerprint reader

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 4 seconds to force shut-down the computer.

If the power button has a fingerprint reader, place your finger on the power button to log in.

NOTE: You can customize power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

Display



1. Camera

Enables you to video chat, capture photos, and record videos.


2. Camera-status light

Turns on when the camera is in use.

3. Microphone

Provides digital sound input for audio recording, voice calls, and so on.

Bottom



1. Left speaker

Provides audio output.

2. Right speaker

Provides audio output.

3. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

Specifications of Inspiron 3493

Dimensions and weight

Table 2. Dimensions and weight

Description	Values
Height:	
Front	19.90 mm (0.78 in.)
Rear	21 mm (0.83 in.)
Width	339 mm (13.35 in.)
Depth	241.90 mm (9.52 in.)
Weight (maximum)	1.79 kg (3.95 lb)
	(i) NOTE: The weight of your computer depends on the configuration ordered and the manufacturing variability.

Processors

Table 3. Processors

Description	Values		
Processors	10 th Generation Intel Core i3	10 th Generation Intel Core i5	10 th Generation Intel Core i7
Wattage	15 W	15 W	15 W
Core count	2	4	4
Thread count	4	8	8
Speed	Up to 3.4 GHz	Up to 3.6 GHz	Up to 3.8 GHz
Cache	4 MB	6 MB	8 MB
Integrated graphics	Intel UHD Graphics	Intel UHD Graphics	Intel Iris Plus Graphics

Chipset

Table 4. Chipset

Description	Values
Chipset	Integrated in the processor
Processor	10 th Generation Intel Core i3/i5/i7
DRAM bus width	64-bit

Description	Values
Flash EPROM	16 MB + 8 MB
PCle bus	Up to PCle Gen3.0
External bus frequency	Not supported

Operating system

- Ubuntu
- · Windows 10 Home (64-bit)
- · Windows 10 Professional (64-bit)

Memory

Table 5. Memory specifications

Description	Values
Slots	Up to two SoDIMM slots O NOTE: Number of memory slots available may differ according to region.
Туре	DDR4
Speed	2666/3200 MHz
Maximum memory	16 GB
Minimum memory	4 GB
Memory size per slot	4 GB, 8 GB, and 16 GB
Configurations supported	 4 GB DDR4 at 2666/3200 MHz (1 x 4 GB) 8 GB DDR4 at 2666/3200 MHz (1 x 8 GB) 8 GB DDR4 at 2666/3200 MHz (2 x 4 GB) 16 GB DDR4 at 2666/3200 MHz (1 x 16 GB) 16 GB DDR4 at 2666/3200 MHz (2 x 8 GB)

Ports and connectors

Table 6. External ports and connectors

Description	Values	
External:		
Network	One RJ-45 port	
USB	One USB 2.0 portTwo USB 3.1 Gen 1 ports	
Audio	One headset port	
Video	One HDMI 1.4b port	
Media card reader	One SD card slot	

Description	Values
Docking port	Not supported
Power adapter port	One power adapter port
Security	One wedge-shaped lock
Table 7. Internal ports and connectors	
Description	Values
Internal:	
M.2	 One M.2 slot for Wi-Fi and Bluetooth combo card One M.2 slot for one of the following:
	Solid-state drive (2230/2280)Intel Optane Memory (2280)
	NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article SLN301626.

Communications

Ethernet

Table 8. Ethernet specifications

Description	Values
Model number	Realtek RTL8106 Ethernet controller (integrated on system board)
Transfer rate	10/100 Mbps

Wireless module

Table 9. Wireless module specifications

Description		Values	
Model number	Qualcomm QCA9565 (DW 1707)	Qualcomm QCA9377 (DW 1810)Qualcomm QCA61x4A (DW1820)	Intel 9462Intel 9560
Transfer rate	Up to 150 Mbps	Up to 433 MbpsUp to 867 Mbps	Up to 433 MbpsUp to 867 Mbps
Frequency bands supported	2.4 GHz	Dual band 2.4 GHz/5 GHz	Dual band 2.4 GHz/5 GHz
Wireless standards	WiFi 802.11b/gWi-Fi 4 (WiFi 802.11n)	WiFi 802.11a/b/gWi-Fi 4 (WiFi 802.11n)Wi-Fi 5 (WiFi 802.11ac)	WiFi 802.11a/b/gWi-Fi 4 (WiFi 802.11n)Wi-Fi 5 (WiFi 802.11ac)
Encryption	64-bit/128-bit WEPAES-CCMPTKIP	64-bit/128-bit WEPAES-CCMPTKIP	64-bit/128-bit WEPAES-CCMPTKIP
Bluetooth	Bluetooth 4.0	Bluetooth 4.2	Bluetooth 5

Audio

Table 10. Audio specifications

Description	Values
Controller	Realtek ALC3204
Stereo conversion	Supported
Internal interface	Intel High-definition audio
External interface	One headset port
Speakers	Two
Internal speaker amplifier	Supported (audio codec integrated)
External volume controls	Media-control shortcut keys
Speaker output:	
Average	2 W
Peak	2.5 W
Subwoofer output	Not supported
Microphone	Single digital microphone in the camera assembly

Storage

Your computer is shipped with **one** of the following configurations:

- · One M.2 solid-state drive
- · One 2.5-inch hard drive
- · One M.2 solid-state drive and one 2.5-inch hard drive
 - NOTE: The solid-state drive is the primary drive.
- · One 2.5-inch hard drive and one Intel Optane Memory M10 or M15
 - NOTE: The 2.5-inch hard drive is the primary drive.

Table 11. Storage specifications

Storage type	Interface type	Capacity
2.5-inch hard drive	SATA AHCI 6 Gbps	Up to 2 TB
M.2 2230/2280 solid-state drive	PCIe NVMe up to 32 Gbps	Up to 512 GB

Intel Optane memory (optional)

Intel Optane technology utilizes 3D XPoint memory technology and functions as a non-volatile storage cache/accelerator and/or storage device depending on the Intel Optane memory installed in your computer.

Your computer supports the following Intel Optane Memory devices:

- · Intel Optane Memory M10
- · Intel Optane Memory M15

Intel Optane Memory M10

Intel Optane Memory M10 functions only as a non-volatile storage cache/accelerator, enabling enhanced read/write speeds for hard-drive storage. It neither replaces nor adds to the memory (RAM) installed on your computer.

Table 12. Intel Optane Memory M10 specifications

Description	Values
Interface	PCIe Gen 3.0x2 NVMe
Connector	M.2
Form factor	2280
Capacity	16 GB or 32 GB

(i) NOTE: Intel Optane Memory M10 is supported on computers that meet the following requirements:

- 7th Generation or higher Intel Core i3/i5/i7 processors
- Windows 10 64-bit version or higher (Anniversary Update)
- · Intel Rapid Storage Technology driver version 15.7 or higher

Intel Optane Memory M15

Intel Optane Memory M15 functions only as a non-volatile storage cache/accelerator, enabling enhanced read/write speeds for hard-drive storage. It neither replaces nor adds to the memory (RAM) installed on your computer.

Table 13. Intel Optane Memory M15 specifications

Description	Values
Interface	PCIe Gen 3.0x4 NVMe
Connector	M.2
Form factor	2280
Capacity	16 GB or 32 GB

NOTE: Intel Optane Memory M15 is supported on computers that meet the following requirements:

- 7th Generation or higher Intel Core i3/i5/i7 processors
- Windows 10 64-bit version or higher (Anniversary Update)
- Intel Rapid Storage Technology driver version 17 or higher

Media-card reader

Table 14. Media-card reader specifications

Description	Values	
Туре	One SD card slot	
Cards supported	Secure Digital (SD)Secure Digital High Capacity (SDHC)SD Extended Capacity (SDXC)	

Keyboard

Table 15. Keyboard specifications

Description	Values
Туре	Backlit keyboardNon-backlit keyboard
Layout	QWERTY
Number of keys	United States and Canada: 80 keysUnited Kingdom: 81 keysJapan: 84 keys
Size	X = 19.05 mm key pitch $Y = 18.05$ mm key pitch
Shortcut keys	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key. (i) NOTE: You can define the primary behavior of the function keys (F1–F12) by changing Function Key Behavior in BIOS setup program.
	Keyboard shortcuts

Camera

Table 16. Camera specifications

Description	Values
Number of cameras	One
Туре	One HD fixed focus
Location	Front camera
Sensor type	CMOS sensor technology
Resolution:	
Still image	0.92 megapixel (HD)
Video	1280 x 720 (HD) at 30 fps
Diagonal viewing angle	78.6 degrees
	·

Touchpad

Table 17. Touchpad specifications

Description	Values
Resolution:	
Horizontal	3215

Description		Values
	Vertical	1956
Dimensions:		
	Horizontal	105 mm (4.13 in.)
	Vertical	65 mm (2.56 in.)

Touchpad gestures

For more information about touchpad gestures for Windows 10, see the Microsoft knowledge base article 4027871 at support.microsoft.com.

Power adapter

Table 18. Power adapter specifications

Description	Values	
Туре	45 W	65 W
Connector dimensions:		
External diameter	4.5 mm	4.5 mm
Internal diameter	2.9 mm	2.9 mm
Input voltage	100 VAC-240 VAC	100 VAC-240 VAC
Input frequency	50 Hz-60 Hz	50 Hz-60 Hz
Input current (maximum)	1.30 A	1.70 A
Output current (continuous)	2.31 A	3.34 A
Rated output voltage	19.50 VDC	19.50 VDC
Temperature range:		
Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)

Battery

(i) NOTE: Dell recommends that you charge the battery regularly for optimal power consumption. If your battery charge is completely depleted, connect the power adapter, turn on your computer, and then restart your computer to reduce the power consumption.

Table 19. Battery specifications

Description	Values		
Туре	3-cell polymer (33 WHr)	3-cell polymer (42 WHr)	
Voltage	11.40 VDC	11.40 VDC	
Weight (maximum)	0.2 kg (0.44 lb)	0.2 kg (0.44 lb)	

Description	Values	
Dimensions:		
Height	5.90 mm (0.23 in.)	5.90 mm (0.23 in.)
Width	175.37 mm (6.90 in.)	175.37 mm (6.90 in.)
Depth	90.73 mm (3.57 in.)	90.73 mm (3.57 in.)
Temperature range:		
Operating	0°C to 35°C (32°F to 95°F)	0°C to 35°C (32°F to 95°F)
Storage	-40°C to 65°C (-40°F to 149°F)	-40°C to 65°C (-40°F to 149°F)
Operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.
Charging time (approximate)	4 hours (when the computer is off) NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manger application. For more information on the Dell Power Manger see, Me and My Dell on https://www.dell.com/.	4 hours (when the computer is off) i NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manger application. For more information on the Dell Power Manger see, Me and My Dell on https://www.dell.com/.
Life span (approximate)	300 discharge/charge cycles	300 discharge/charge cycles
Coin-cell battery	CR-2032	CR-2032
Operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.

Display

Table 20. Display specifications

Values	
14-inch HD panel	14-inch FHD panel
Twisted Nematic (TN)	In-Plane Switching (IPS)
220 nits	220 nits
173.95 mm (6.85 in.)	173.95 mm (6.85 in.)
309.40 mm (12.18 in.)	309.40 mm (12.18 in.)
355.60 mm (14 in.)	355.60 mm (14 in.)
1366 x 768	1920 x 1080
1.05	2.07
112	158
	14-inch HD panel Twisted Nematic (TN) 220 nits 173.95 mm (6.85 in.) 309.40 mm (12.18 in.) 355.60 mm (14 in.) 1366 x 768 1.05

Description	Values	
Contrast ratio (min)	300:1600:1	600:1
Response time (max)	25 msec rise/fall	35 msec rise/fall
Refresh rate	60 Hz	60 Hz
Horizontal view angle	+/- 40 degrees	+/- 80 degrees
Vertical view angle	+ 10/- 30 degrees	+/- 80 degrees
Pixel pitch	0.226 mm	0.161 mm
Power consumption (maximum)	3.0 W	2.85 W (Mosaic pattern)
Anti-glare vs glossy finish	Anti-glare	Anti-glare
Touch options	No	No

Video

Table 21. Video specifications

Discrete graphics

Controller	External display support	Memory size	Memory Type
Nvidia MX230	Not supported	2 GB	GDDR5

Table 22. Video specifications

Integrated graphics

Controller	External display support	Memory size	Processor
Intel UHD Graphics	One HDMI 1.4b port	Shared system memory	10 th Generation Intel Core i3/i5
Intel Iris Plus Graphics	One HDMI 1.4b port	Shared system memory	10 th Generation Intel Core i7

Fingerprint reader (optional)

Table 23. Fingerprint reader specifications

Description	Values
Sensor technology	Capacitive
Sensor resolution	500 dpi
Sensor area	5.50 mm x 4.50 mm
Sensor pixel size	108 x 88 pixels

Computer environment

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 24. Computer environment

Description	Operating	Storage
Temperature range	0°C to 40°C (32°F to 104°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	140 G†	160 G‡
Altitude (maximum)	0 m to 3,048 m (0 ft to 10,000 ft)	0 m to 10,668 m (0 ft to 35,000 ft)

 $[\]ensuremath{^{*}}$ Measured using a random vibration spectrum that simulates user environment.

 $[\]ensuremath{\dagger}$ Measured using a 2 ms half-sine pulse when the hard drive is in use.

Keyboard shortcuts

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press shift and the key, the symbol shown on the upper part of the key is typed out. For example, if you press **2**, 2 is typed out; if you press **Shift + 2**, @ is typed out.

The keys F1-F12 at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing F1 mutes the audio (refer to the table below).

However, if the function keys F1-F12 are needed for specific software applications, multi-media functionality can be disabled by pressing $\mathbf{Fn} + \mathbf{Esc}$. Subsequently, multi-media control can be invoked by pressing \mathbf{Fn} and the respective function key. For example, mute audio by pressing $\mathbf{Fn} + \mathbf{F1}$.

NOTE: You can also define the primary behavior of the function keys (F1-F12) by changing Function Key Behavior in BIOS setup program.

Table 25. List of keyboard shortcuts

Function key	Re-defined key (for multi-media control)	Behavior
F1	Fn + F1	Mute audio
F2 •	Fn + F2 •	Decrease volume
F3 (4))	Fn + F3	Increase volume
F4	Fn + F4	Play previous track/chapter
F5 ▶II	Fn + F5 F5 F5 F5 F7 F7 F7 F7	Play/Pause
F6 →H	Fn + F6 →	Play next track/chapter
F8 🚉	Fn + F8	Switch to external display
F9 p	Fn + F9 p	Search
F10	Fn + F10	Toggle keyboard backlight (optional)
F11 *	Fn + F11	Decrease brightness
F12	Fn + F12	Increase brightness

The Fn key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 26. List of keyboard shortcuts

Function key	Behavior
Fn + PrtScr	Turn off/on wireless

Function key	Behavior
Fn + B	Pause/Break
Fn + Insert	Sleep
Fn + S	Toggle scroll lock
Fn + H	Toggle between power and battery-status light/hard-drive activity light
Fn + R	System request
Fn + Ctrl	Open application menu
Fn + Esc	Toggle Fn-key lock
Fn + ↑PgUp	Page up
Fn + \perp PgDn	Page down
Fn + ←Home	Home
Fn + End →	End

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 27. Self-help resources

Self-help resources	Resource location
Information about Dell products and services	www.dell.com
My Dell	DELL
Tips	*
Contact Support	In Windows search, type Contact Support, and press Enter.
Online help for operating system	www.dell.com/support/windows
	www.dell.com/support/linux
Troubleshooting information, user manuals, setup instructions, product specifications, technical help blogs, drivers, software updates, and so on.	www.dell.com/support
Dell knowledge base articles for a variety of computer concerns.	 Go to www.dell.com/support. Type the subject or keyword in the Search box. Click Search to retrieve the related articles.
Learn and know the following information about your product:	See Me and My Dell at www.dell.com/support/manuals.
Product specificationsOperating system	To locate the <i>Me and My Dell</i> relevant to your product, identify your product through one of the following:
 Setting up and using your product Data backup Troubleshooting and diagnostics Factory and system restore BIOS information 	 Select Detect Product. Locate your product through the drop-down menu under View Products. Enter the Service Tag number or Product ID in the search bar.

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

- (i) NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.
- NOTE: If you do not have an active internet connection, you can find contact information on your purchase invoice, packing slip, bill, or Dell product catalog.